



FC20XDNE

Refrigerator, Universale, Bottom Mount, Free standing, Hinge position: Right, Inox-look, Total No Frost, E



TYPE

Product Family: Refrigerator • Installation: Free standing • Category: Bottom Mount • Cooling type: Total No Frost • Defrost: Automatic • Hinge position: Right • Hinge type: Standard • Reversible door: Yes • Reference width: Until 60 • EAN code: 8017709299866

AESTHETICS

Colour: Inox-look • Aesthetic: Universale • Material: Steel Effect • Handle type: Fixed • Handle: Integrated • Side material: Steel • Side colour: Silver • Display: LED • Display position: Esterno (su porta)

REFRIGERATOR COMPARTMENT FEATURES

No. of adjustable shelves: 3 • Number of fruit and vegetables drawers: 1 • Type of crisper/vegetable drawers cover: On sliding rails • Type of adjustable shelves: Glass • Crisper Cover: Yes • Bottle shelf: Yes • Type of crisper/vegetable drawers cover: Glass • Low temperature compartment: Yes • Internal light in fridge: Yes • Type of internal light (fridge): LED

REFRIGERATOR INNER DOOR

Number of adjustable door shelves: 3 • No. of bottle shelves: 1

OTHER REFRIGERATOR FEATURES

Accessories: Bottle holder, Egg tray • MultiFlow: Yes

FREEZER COMPARTMENT FEATURES

Number of drawers: 3

FREEZER INNER DOOR

OTHER FREEZER FEATURES

Accessories: 1 ice box

OTHER TECHNICAL FEATURES

Functions display: Fast freezing, ECO • Door open alarm: Yes • Temperature Alarm: Yes • Type of temperature control: Electronic
• No. of compressors: 1 • Type of compressor: Standard

TECHNICAL FEATURES

PERFORMANCE / ENERGY LABEL NEW 2019

Annual energy consumption: 246 kWh/a • Energy efficiency class: E • Total net volume: 331 l • Sum of the volumes of the frozen compartment(s): 96 l • Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s): 235 l • Airborne acoustical noise emission class: C • Temperature Rise Time: 10 h • 4 star - Freezing capacity: 9.0 Kg/24h • Climate class: SN, N, ST, T • EEI: 100 % • Airborne acoustical noise emissions: 38 dB(A) re 1pW

ELECTRICAL CONNECTION

Electrical connection rating: 70 W • Voltage (V): 220-240 V • Frequency (Hz): 50 Hz • Power supply cable length: 200 cm

OPTIONAL ACCESSORIES

ALSO AVAILABLE

LOGISTIC INFORMATION

Dimensions: 2000x600x592 mm • Width: 600 mm • Product width with maximum doors opening: 600 mm • Height: 2000 mm • Depth without handle: 592 mm • Gross weight (kg): 66.000 kg • Net weight (kg): 64.000 kg

