

Loewe **antares**

Design légendaire, possibilités infinies

Modules OLED 4K Ultra HD calibrés en usine, conçus, développés et personnalisés par Loewe à Kronach

Système dr+ à double canal avec double triple tuner et SSD pour l'enregistrement via USB

Prise en charge complète de la norme HDMI 2.1 et de l'Ultra HD à 144 Hz
avec VRR pour un gaming fluide et une réactivité sans compromis

Large choix d'applications de streaming intelligentes et de services de VOD

Design épuré avec le système audio « invisible » de Loewe et la barre de son Loewe Antares en option

Socle de table pivotant et réglable en hauteur, supports muraux et pieds au sol en option

Design panoramique unique avec des inserts en aluminium interchangeables

NETFLIX · YouTube · prime video · Disney+ · tv · Spotify · DEEZER · HD+ · ZATTOO · MAGENTA TV

VIDAA · Works with Apple AirPlay · works with alexa · Wi Fi CERTIFIED · matter

Dolby VISION IQ · Dolby ATMOS · dts HD · dts X · Bluetooth · USB · HDMI

LOEWE. a été fondée par les frères Loewe sous le nom de Radio Frequenz GmbH à Berlin en 1923. Aujourd'hui encore, nous concevons, développons et fabriquons des appareils électroniques grand public – Made in Germany.

ISO 9001 Certified Quality Management System www.tuvsud.com/ms-cert

Fiche produit (provisoire)
Loewe **antares**
Juin 2026

LOEWE.
Home of Excellence.

www.loewe.tv

Loewe **antares**

Design légendaire, possibilités infinies



Module OLED fabriqué par Loewe

Profitez d'une qualité d'image époustouflante grâce à la technologie OLED de pointe. Chaque module OLED LTY fabriqué par Loewe à Kronach est calibré individuellement en usine, offrant des noirs parfaits, des couleurs vives et naturelles, un contraste maximal et un niveau de détail impressionnant en résolution 4K Ultra HD.

Les formats HDR avancés tels que Dolby Vision IQ, y compris HDR10+ Adaptive, optimisent chaque scène conformément aux spécifications des cinéastes pour une performance d'image cinématographique, garantissant ainsi une expérience visuelle véritablement captivante.



Loewe double canal

Loewe Antares offre une flexibilité maximale pour le divertissement et l'enregistrement. La plateforme double canal équipée de deux triples tuners permet l'enregistrement via USB,le visionnage parallèle de la télévision et les fonctions de décalage temporel. Basé sur le châssis Loewe SL8 de dernière génération avec Vidaa U9 et un traitement d'image alimenté par l'IA, Loewe Antares offre une connectivité fluide et des options de streaming illimitées.

Des fonctionnalités de jeu haut de gamme telles que l'HDMI 2.1 avec 144 Hz de VRR en 4K Ultra HD et un mode Gaming pour les jeux sur le cloud et sur console, l'intégration de manettes et une latence minimale garantissent des performances élevées



Vidaa OS

Équipé du système d'exploitation Loewe os9, le Loewe Antares offre un accès rapide et intuitif aux principaux services de streaming, notamment Netflix, Amazon Prime Video, YouTube, Disney+, Apple TV+, Spotify et bien d'autres encore. Une connectivité fluide via Apple AirPlay, Miracast et Matter facilite l'interaction entre les appareils, tandis que la télécommande haut de gamme Loewe vi, Bluetooth et dotée de la commande vocale, garantit une navigation sans effort.

Le mode galerie d'art VIDAA, le mode enfants et les fonctionnalités de confort basées sur l'IA offrent encore plus de choix pour votre divertissement personnel à domicile.



Solutions audio personnalisées

Loewe Antares garantit toujours les meilleures solutions audio, de la stéréo au multicanal avec Dolby Atmos et Virtual 3D, grâce à des décodeurs audio, des processeurs DSP et des amplificateurs de classe D à la pointe de la technologie, ainsi qu'à un calibrage acoustique automatique de la pièce via le microphone de la télécommande Loewe vi. Choisissez entre le système audio intégré « Loewe invisible sound », la barre de son Loewe Antares en option, la norme HDMI eARC pour les solutions audio externes, le Bluetooth ou la sortie casque analogique.

L'entrée pour enceinte centrale est idéale pour les configurations de son surround home cinéma où le téléviseur fait office d'enceinte centrale.



Un design légendaire

Loewe Antares se distingue par son design sophistiqué à 360°, inspiré de l'esthétique d'un écran panoramique, qui a été méticuleusement conçu par le Loewe Design & Innovation Studio jusque dans les moindres détails, alliant des finitions raffinées, des matériaux authentiques de haute qualité et une fabrication soignée. Des inserts interchangeables, des touches élégantes et un système de gestion des câbles discrètement intégré garantissent une apparence épurée et distinctive sous tous les angles.

Une sélection d'accessoires et de finitions en option offre des possibilités infinies pour créer des styles personnalisés qui s'intègrent parfaitement à n'importe quel intérieur.



Solutions d'installation flexibles

Loewe Antares offre une flexibilité exceptionnelle grâce à un socle de table universel, de nombreuses options de pieds de sol, dont certains motorisés, un spectaculaire support allant du sol au plafond, ainsi que différentes solutions de fixation murale. Le socle de table pivotant, doté d'une base en aluminium brossé, propose trois positions en hauteur et un système de gestion des câbles intégré. L'enceinte stéréo intégrée « Loewe Invisible Sound » peut être complétée par la barre de son Loewe Antares en option.

Des caches « Smart Cover » en tissu, pouvant être installés a posteriori, pour l'arrière, ainsi que des inserts en aluminium pour le haut et le bas de l'écran, disponibles en différentes couleurs, permettent une personnalisation illimitée.

Fiche produit (provisoire)
Loewe **antares**
Juin 2026

Loewe **antares**

Design légendaire, possibilités infinies

TV

Loewe antares 77
La livraison comprend un téléviseur avec système audio invisible et un socle de table, des inserts en aluminium brossé (montés) et en aluminium noir (emballés)

Antares 77 : L* x H x PP / PT= 172,2 x 104,2 x 6,2 / 33,3
socle de table orientable manuellement (+/- 45°), passage de câbles dissimulé, trois positions de hauteur réglables

alu brushed + black
alu black + black

modèle	article
antares 77	65455









Dimensions en cm : L = largeur, H = hauteur, PP = profondeur du produit, PT = profondeur totale. Sous réserve de modifications techniques et d'erreurs.
* Au niveau de la fixation latérale Loewe, la largeur du téléviseur peut augmenter jusqu'à 1 cm, selon le modèle.

Loewe **antares**

Design légendaire, possibilités infinies

TV

Loewe antares 42-65
La livraison comprend un téléviseur avec système audio invisible et un socle de table, des inserts en aluminium brossé (déjà montés) et en aluminium noir (emballés)

antares 65: L* x H x PP / PT= 145,2 x 88,7 x 27,4
antares 55: L* x H x PP / PT= 123,3 x 76,4 x 27,4
antares 48: L* x H x PP / PT= 107,8 x 67,7 x 22,2
antares 42: L* x H x PP / PT= 94,3 x 60,1 x 22,2
pied de table orientable manuellement (+/- 45°), passage de câbles dissimulé, trois positions de hauteur réglables

alu brushed + black
alu black + black

modèle	article
antares 65	65454
antares 55	65453
antares 48	65452
antares 42	65451



Soundbar

Barre de son Loewe Antares en option
Barre de son passive à diffusion frontale d'une puissance de 80 watts, conçue pour une installation modulaire sur le modèle Loewe Antares



black

soundbar antares	65651

Dimensions en cm : L = largeur, H = hauteur, PP = profondeur du produit, PT = profondeur totale. Sous réserve de modifications techniques et d'erreurs.
* Au niveau de la fixation latérale Loewe, la largeur du téléviseur peut augmenter jusqu'à 1 cm, selon le modèle.

Loewe **antares**

Design légendaire, possibilités infinies

Solutions de configuration

Pieds et supports

floor stand motor stellar
antares 77: L* x H x PP / PT= tba
antares 65: L* x H x PP / PT= 145,2 x 128,3 x 5,4 / 49,1
antares 55: L* x H x PP / PT= 123,3 x 116,0 x 5,4 / 35,2
antares 48: L* x H x PP / PT= 107,8 x 107,3 x 5,4 / 35,2
antares 42: L* x H x PP / PT= 94,3 x 99,7 x 5,4 / 35,2
rotation motorisée (+/- 45°), passage de câbles dissimulé

floor2ceiling stand
antares 77: L* x H x PP / PT= 172,2 x 220-290 x 6,2 / 16,2
antares 65: L* x H x PP / PT= 145,2 x 220-290 x 5,4 / 16,2
antares 55: L* x H x PP / PT= 123,3 x 220-290 x 5,4 / 16,2
antares 48: L* x H x PP / PT= 107,8x 220-290 x 5,4 / 16,2
antares 42: L* x H x PP / PT= 94,3 x 220-290 x 5,4 / 16,2
orientable manuellement (+/- 110°), passage de câbles dissimulé,
réglable en hauteur (220-290 cm), montage direct sans adaptateur

floor stand flex
antares 77: L* x H x PP / PT= 172,2 x 140,4 x 6,2 / 54,0
antares 65: L* x H x PP / PT= 145,2 x 124,8 x 5,4 / 54,0
antares 55: L* x H x PP / PT= 123,3 x 112,5 x 5,4 / 54,0
antares 48: L* x H x PP / PT= 107,8 x 103,8 x 5,4 / 54,0
antares 42: L* x H x PP / PT= 94,3 x 96,2 x 5,4 / 54,0
orientable manuellement (+/- 45°), passage de câbles dissimulé,
avec ou sans support pour plateau d'accessoires ou barre de son

floor stand grand
antares 65: L* x H x PP / PT= 145,2 x 158,3 x 5,4 / 60,0
antares 55: L* x H x PP / PT= 123,3 x 146,0 x 5,4 / 60,0
antares 48: L* x H x PP / PT= 107,8 x 137,3 x 5,4 / 60,0
antares 42: L* x H x PP / PT= 94,3 x 129,7 x 5,4 / 60,0
orientable manuellement (+/- 45°), passage de câbles dissimulé

floor stand universal
antares 65: L* x H x PP / PT= 145,2 x 128,2 x 5,4 / 52,5
antares 55: L* x H x PP / PT= 123,3 x 115,9 x 5,4 / 52,5
antares 48: L* x H x PP / PT= 107,8 x 107,2 x 5,4 / 52,5
antares 42: L* x H x PP / PT= 94,3 x 99,6 x 5,4 / 52,5
orientable manuellement (+/- 45°), passage de câbles dissimulé









Dimensions en cm : L = largeur, H = hauteur, PP = profondeur du produit, PT = profondeur totale. Sous réserve de modifications techniques et d'erreurs.
* Au niveau de la fixation latérale Loewe, la largeur du téléviseur peut augmenter jusqu'à 1 cm, selon le modèle.

Loewe **antares**

Design légendaire, possibilités infinies


Solutions de configuration

solutions murales

wall mount stellar
antares 65: L* x H x PP / PT= 145,2 x 87,0 x 5,4 / 6,6
antares 55: L* x H x PP / PT= 123,3 x 74,7 x 5,4 / 6,6
antares 48: L* x H x PP / PT= 107,8 x 66,0 x 5,4 / 6,6
montage à plat et inclinable

wall mount universal
antares 77: L* x H x PP / PT= tba
antares 65: L* x H x PP / PT= 145,2 x 87,0 x 5,4 / 9,1
antares 55: L* x H x PP / PT= 123,3 x 74,7 x 5,4 / 9,1
antares 48: L* x H x PP / PT= 107,8 x 66,0 x 5,4 / 9,1
antares 42: L* x H x PP / PT= 94,3 x 60,1 x 5,4 / 9,1
montage inclinable

wall mount slim 432
antares 77: L* x H x PP / PT = tba
antares 65: L* x H x PP / PT= 145,2 x 87,0 x 5,4 / 7,4
antares 55: L* x H x PP / PT= 123,3 x 74,7 x 5,4 / 7,4
antares 48: L* x H x PP / PT= 107,8 x 66,0 x 5,4 / 7,4
antares 42: L* x H x PP / PT= 94,3 x 58,4 x 5,4 / 7,4
montage à plat et adaptation VESA



Dimensions en cm : L = largeur, H = hauteur, PP = profondeur du produit, PT = profondeur totale. Sous réserve de modifications techniques et d'erreurs.
* Au niveau de la fixation latérale Loewe, la largeur du téléviseur peut augmenter jusqu'à 1 cm, selon le modèle.

Loewe **antares**

Design légendaire, possibilités infinies

Télécommande

Loewe remote vi
Télécommande avec boîtier en aluminium, voyants LED, modes IR et Bluetooth, commande vocale en option et rétroéclairage du curseur central



Solutions complémentaires

Loewe multi.room amp
Amplificateur stéréo pour diffusion multiroom ou home cinema puissance totale 1200 watts



	modèle	article
black	multi.room amp	61600

Loewe klang sub1
Caisson de basses sans fil d'une puissance de 160 watts sans perte, sans latence et sans vibrations



basalt grey	klang sub1	60610

We. BOOST
système home cinéma sans fil « plug and play »



ash grey	We. BOOST	64720

We. BOOST center
enceinte centrale de home cinéma pour le système We. BOOST



ash grey	We. BOOST center	64730

Fiche produit (provisoire)
Loewe **antares**
Juin 2026

Loewe **antares**

Design légendaire, possibilités infinies

Informations complémentaires

www.loewe.tv

my Loewe app

Votre contact Loewe

Nous sommes heureux de vous répondre personnellement.

du lundi au vendredi 10:00 - 17:00
0033 2 98 05 88 74

Votre revendeur Loewe

Technical Data

Loewe antares (provisoire)

	77 set	77
Design		
Design Team	Loewe Design & Innovation Studio	Loewe Design & Innovation Studio
Development & construction	Loewe R&D Team	Loewe R&D Team
Production & quality check	Loewe Kronach Factory	Loewe Kronach Factory
Model family	antares	antares
Colour variant(s)	alu silver / alu black + black	alu silver / alu black + black
Optional colour variant(s)	2	2
Main materials applied	alu, glass	alu, glass
Individualization options (selection)	alu colour onlays, smart cover	alu colour onlays, smart cover
Prestigious Awards	award pending	award pending
Sustainable / regional resources and methods preferred	● / ●	● / ●
Durable / service friendly / modular / repairable	● / ● / ● / ●	● / ● / ● / ●
Setup solutions: table / floor / wall / ceiling / motorized	● / o / o / o / o	● / o / o / o / o
Sound solutions: passive / active / stereo / multi channel	● / o / ● / o	● / o / ● / o
Image		
Screen resolution (pixels)	4K Ultra HD (3840 x 2160)	4K Ultra HD (3840 x 2160)
Display technology	OLED, LGD oc, LTY module	OLED, LGD oc, LTY module
Screen diagonal (cm / inch) / Response time (ms)	195 / 77 / 1	195 / 77 / 1
Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	1.500 / 120°	1.500 / 120°
Ex-works individual panel calibration / white D65 / colour RGB	● / ● / ●	● / ● / ●
UHD scaling / Auto dimming / AI PQ / Adaptive contrast / 24p	● / ● / ● / ● / ●	● / ● / ● / ● / ●
HDR (HLG / HDR10 / HDR10+ / Dolby Vision) / WCG	● / ● / ● / ● (incl. IQ PD) / ●	● / ● / ● / ● (incl. IQ PD) / ●
Receiption		
DVB-T2 / C / S2 / HD / twin triple-tuner	● / ● / ● / ● / ●	● / ● / ● / ● / ●
DVB radio / 5V / DiSEqC / Unicable / dual channel	● / ● / ● / ● / ●	● / ● / ● / ● / ●
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	● / ● / ● / ● (incl. H.266)	● / ● / ● / ● (incl. H.266)
Zattoo / HD+	● / ●	● / ●
Audio		
Power (watts sine / music) / driver (active + passive)	2 x 20 / 2 x 40 / 2	2 x 20 / 2 x 40 / 2
Acoustic speaker concept	closed bar + passive membranes	closed bar + passive membranes
Front firing / down firing / 2-channel crossover	● (soundbar antare) / — / ●	— / ● (invisible sound) / ●
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Class-D amp / Auto volume / AI AQ / EQ / Dynamic loudness	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Operation and apps		
Chassis / os / languages (menu, help) / app store	SL8 / os9 / 65 / ●	SL8 / os9 / 65 / ●
my Loewe app / smart apps (all: Android + iOS)	● /(VIDAA Smart TV app)	● /(VIDAA Smart TV app)
Voice control: Alexa Skills / other	● /(VIDAA Voice)	● /(VIDAA Voice)
EPG / Number of stations in channel list	● / 10.000	● / 10.000
Timeshift / USB recording / multi recording	● / ● / ●	● / ● / ●
Mediatext (HbbTV) / Teletext / splitscreen	● / ● / ●	● / ● / ●
Media player / dlna player / browser	● / ● / ●	● / ● / ●
FAST channels / VOD premium services / AI comfort features	TV Channel+ / ● / ●	TV Channel+ / ● / ●
Parental lock / Automatic turn-off / Timer	● / ● / ●	● / ● / ●
Software update (via USB / Internet) / Hotel mode	● / ● / ●	● / ● / ●
Connectivity and Interfaces		
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1 / 2 / 1	1 / 2 / 1
HDMI	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1
HDMI UHD / ALLM / VRR	● / ● / ● (144 Hz)	● / ● / ● (144 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	● / ● / ● / ●	● / ● / ● / ●
USB-A: number x power	1 x 1,0 A, 1 x 2,0 A	1 x 1,0 A, 1 x 2,0 A
USB-C: number x power	2 x 1,0 A	2 x 1,0 A
Bluetooth / Miracast / AirPlay / Matter	● / ● / ● / ●	● / ● / ● / ●
LAN / WLAN (Wi-Fi) / wake on LAN / wake on Wifi	● / ● / ● / ●	● / ● / ● / ●
TOSLINK / center in / stereo out / cube connector	● / ● / ● / ●	● / ● / ● / ●
Audio out control: fix / variable / sub (3,5 mm)	● / ● / ●	● / ● / ●
Loewe magic.light / magic.motion	— /o (via USB-A 2,0A)	— /o (via USB-A 2,0A)
Home automation / Control4 / Crestron / Basalte	● (via IP) / ● / ● / ●	● (via IP) / ● / ● / ●
Power connection	C17 / C18	C17 / C18
Energy		
EU energy efficiency class: SDR (EEI) / HDR (EEI)	tba	tba
EPREL registration No.: https://eprel.ec.europa.eu	2733387	2733387
Energy consumption SDR / HDR (ca. kWh/1000h)	tba	tba
Power consumption cast mode / home automation (watts)	15	15
Power consumption max. @ audio 1/8 volume (watts)	650 W	650 W
Power consumption standby / network standby (watts)	tba	tba
Mains voltages / power switch / off mode (watts)	220-240 V, 50/60 Hz / ● / 0,0	220-240 V, 50/60 Hz / ● / 0,0
Dimensions (* incl. signature flag: ca. 1 cm)		
Weight (ca. kg) excl. / incl. standard setup solution	tba	tba
W* x H x D (cm) without setup solution	tba	tba
W* x H x D (cm) incl. table stand	tba	tba
VESA support / Kensington lock	300 x 200 / —	300 x 200 / —
Scope of Delivery		
Speaker	integrated	integrated
Setup solution / rotating	integrated stand / ●	integrated stand / ●
Remote control (incl. batteries)	Loewe remote vi (2x AAA)	Loewe remote vi (2x AAA)
Manual / power cord	● / ● (2,5 m, black)	● / ● (2,5 m, black)
Others	welcome box	welcome box
Optional accessories		
Selection of recommended setup solutions and audio systems	floor2ceiling stand	floor2ceiling stand
	wall mount universal	wall mount universal
	wall mount slim 432	wall mount slim 432
	multi.room amp	multi.room amp
		soundbar antares

● = available, o = optional, — = not available, * according to panel spec typ. values @ HDR 10%

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

Technical Data

Loewe antares (provisoire)

	65 set	55 set	48 set	42 set
Design				
Design Team	Loewe Design & Innovation Studio	Loewe Design & Innovation Studio	Loewe Design & Innovation Studio	Loewe Design & Innovation Studio
Development & construction	Loewe R&D Team	Loewe R&D Team	Loewe R&D Team	Loewe R&D Team
Production & quality check	Loewe Kronach Factory	Loewe Kronach Factory	Loewe Kronach Factory	Loewe Kronach Factory
Model family	antares	antares	antares	antares
Colour variant(s)	alu silver / alu black + black	alu silver / alu black + black	alu silver / alu black + black	alu silver / alu black + black
Optional colour variant(s)	2	2	2	2
Main materials applied	alu, glass	alu, glass	alu, glass	alu, glass
Individualization options (selection)	alu colour onlays, smart cover	alu colour onlays, smart cover	alu colour onlays, smart cover	alu colour onlays, smart cover
Prestigious Awards	award pending	award pending	award pending	award pending
Sustainable / regional resources and methods preferred	● / ●	● / ●	● / ●	● / ●
Durable / service friendly / modular / repairable	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
Setup solutions: table / floor / wall / ceiling / motorized	● / o / o / o	● / o / o / o	● / o / o / o	● / o / o / o
Sound solutions: passive / active / stereo / multi channel	● / o / ● / o	● / o / ● / o	● / o / ● / o	● / o / ● / o
Image				
Screen resolution (pixels)	4K Ultra HD (3840 x 2160)	4K Ultra HD (3840 x 2160)	4K Ultra HD (3840 x 2160)	4K Ultra HD (3840 x 2160)
Display technology	OLED, LGD oc, LTY module	OLED, LGD oc, LTY module	OLED, LGD oc, LTY module	OLED, LGD oc, LTY module
Screen diagonal (cm / inch) / Response time (ms)	164 / 65 / 1	139 / 55 / 1	121 / 48 / 1	106 / 42 / 1
Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	1.500 / 120°	1.500 / 120°	800 / 120°	800 / 120°
Ex-works individual panel calibration / white D65 / colour RGB	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
UHD scaling / Auto dimming / AI PQ / Adaptive contrast / 24p	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
HDR (HLG / HDR10 / HDR10+ / Dolby Vision) / WCG	● / ● / ● / ● (incl. IQ PD) / ●	● / ● / ● / ● (incl. IQ PD) / ●	● / ● / ● / ● (incl. IQ PD) / ●	● / ● / ● / ● (incl. IQ PD) / ●
Receiption				
DVB-T2 / C / S2 / HD / twin triple-tuner	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
DVB radio / 5V / DiSEqC / Unicable / dual channel	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	● / ● / ● / ● (incl. H.266)	● / ● / ● / ● (incl. H.266)	● / ● / ● / ● (incl. H.266)	● / ● / ● / ● (incl. H.266)
Zattoo / HD+	● / ●	● / ●	● / ●	● / ●
Audio				
Power (watts sine / music) / driver (active + passive)	2 x 20 / 2 x 40 / 2	2 x 20 / 2 x 40 / 2	2 x 20 / 2 x 40 / 2	2 x 20 / 2 x 40 / 2
Acoustic speaker concept	closed bar + passive membranes	closed bar + passive membranes	closed bar + passive membranes	closed bar + passive membranes
Front firing / down firing / 2-channel crossover	● (soundbar antare) / — / ●	● (soundbar antare) / — / ●	● (soundbar antare) / — / ●	● (soundbar antare) / — / ●
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Class-D amp / Auto volume / AI AQ / EQ / Dynamic loudness	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Operation and apps				
Chassis / os / languages (menu, help) / app store	SL8 / os9 / 65 / ●	SL8 / os9 / 65 / ●	SL8 / os9 / 65 / ●	SL8 / os9 / 65 / ●
my Loewe app / smart apps (all: Android + iOS)	● /(VIDAA Smart TV app)	● /(VIDAA Smart TV app)	● /(VIDAA Smart TV app)	● /(VIDAA Smart TV app)
Voice control: Alexa Skills / other	● /(VIDAA Voice)	● /(VIDAA Voice)	● /(VIDAA Voice)	● /(VIDAA Voice)
EPG / Number of stations in channel list	● / 10.000	● / 10.000	● / 10.000	● / 10.000
Timeshift / USB recording / multi recording	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
Mediatext (HbbTV) / Teletext / splitscreen	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
Media player / dlna player / browser	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
FAST channels / VOD premium services / AI comfort features	TV Channel+ / ● / ●	TV Channel+ / ● / ●	TV Channel+ / ● / ●	TV Channel+ / ● / ●
Parental lock / Automatic turn-off / Timer	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
Software update (via USB / Internet) / Hotel mode	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
Connectivity and Interfaces				
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1 / 2 / 1	1 / 2 / 1	1 / 2 / 1	1 / 2 / 1
HDMI	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1
HDMI UHD / ALLM / VRR	● / ● / ● (144 Hz)	● / ● / ● (144 Hz)	● / ● / ● (144 Hz)	● / ● / ● (144 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
USB-A: number x power	1 x 1,0 A, 1 x 2,0 A	1 x 1,0 A, 1 x 2,0 A	1 x 1,0 A, 1 x 2,0 A	1 x 1,0 A, 1 x 2,0 A
USB-C: number x power	2 x 1,0 A	2 x 1,0 A	2 x 1,0 A	2 x 1,0 A
Bluetooth / Miracast / AirPlay / Matter	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
LAN / WLAN (Wi-Fi) / wake on LAN / wake on Wifi	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
TOSLINK / center in / stereo out / cube connector	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
Audio out control: fix / variable / sub (3,5 mm)	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
Loewe magic.light / magic.motion	— /o (via USB-A 2,0A)	— /o (via USB-A 2,0A)	— /o (via USB-A 2,0A)	— /o (via USB-A 2,0A)
Home automation / Control4 / Crestron / Basalte	● (via IP) / ● / ● / ●	● (via IP) / ● / ● / ●	● (via IP) / ● / ● / ●	● (via IP) / ● / ● / ●
Power connection	C17 / C18	C17 / C18	C17 / C18	C17 / C18
Energy				
EU energy efficiency class: SDR (EEI) / HDR (EEI)	F / G	F / G	F / G	G / G
EPREL registration No.: https://eprel.ec.europa.eu	2712700	2712697	2712695	2712688
Energy consumption SDR / HDR (ca. kWh/1000h)	101 / 113	tba	55 / 60	tba
Power consumption cast mode / home automation (watts)	15	15	15	15
Power consumption max. @ audio 1/8 volume (watts)	400 W	300 W	200 W	150 W
Power consumption standby / network standby (watts)	0,4 / 0,6	0,4 / 0,6	0,4 / 0,6	0,4 / 0,6
Mains voltages / power switch / off mode (watts)	220-240 V, 50/60 Hz / ● / 0,0	220-240 V, 50/60 Hz / ● / 0,0	220-240 V, 50/60 Hz / ● / 0,0	220-240 V, 50/60 Hz / ● / 0,0
Dimensions (* incl. signature flag: ca. 1 cm)				
Weight (ca. kg) excl. / incl. standard setup solution	tba	tba	tba	tba
W* x H x D (cm) without setup solution	145,2 x 88,9 x 5,4	123,3 x 76,5 x 5,4	107,8 x 67,8 x 5,4	94,3 x 60,2 x 5,4
W* x H x D (cm) incl. table stand	145,2 x 91,2 x 27,4	123,3 x 78,8 x 27,4	107,8 x 70,1 x 22,2	94,3 x 62,5 x 22,2
VESA support / Kensington lock	300 x 200 / —	300 x 200 / —	300 x 200 / —	300 x 200 / —
Scope of Delivery				
Speaker	integrated	integrated	integrated	integrated
Setup solution / rotating	integrated stand / ●	integrated stand / ●	integrated stand / ●	integrated stand / ●
Remote control (incl. batteries)	Loewe remote vi (2x AAA)	Loewe remote vi (2x AAA)	Loewe remote vi (2x AAA)	Loewe remote vi (2x AAA)
Manual / power cord	● / ● (2,5 m, black)	● / ● (2,5 m, black)	● / ● (2,5 m, black)	● / ● (2,5 m, black)
Others	welcome box	welcome box	welcome box	welcome box
Optional accessories				
Selection of recommended setup solutions and audio systems	floor2ceiling stand, floor stand	floor2ceiling stand, floor stand	floor2ceiling stand, floor stand	floor2ceiling stand, floor stand
	motor stellar, floor stand flex	motor stellar, floor stand flex	motor stellar, floor stand flex	motor stellar, floor stand flex
	floor stand universal, wall mount	floor stand universal, wall mount	floor stand universal, wall mount	floor stand universal, wall mount
	universal, wall mount slim 432	universal, wall mount slim 432	universal, wall mount slim 432	universal, wall mount slim 432
	wall mount stellar, multi.room amp	wall mount stellar, multi.room amp	wall mount stellar, multi.room amp	multi.room amp

● = available, o = optional, — = not available, * according to panel spec typ. values @ HDR 10%

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

Technical Data

Loewe antares (provisoire)

	65	55	48	42
Design				
Design Team	Loewe Design & Innovation Studio	Loewe Design & Innovation Studio	Loewe Design & Innovation Studio	Loewe Design & Innovation Studio
Development & construction	Loewe R&D Team	Loewe R&D Team	Loewe R&D Team	Loewe R&D Team
Production & quality check	Loewe Kronach Factory	Loewe Kronach Factory	Loewe Kronach Factory	Loewe Kronach Factory
Model family	antares	antares	antares	antares
Colour variant(s)	alu silver / alu black + black	alu silver / alu black + black	alu silver / alu black + black	alu silver / alu black + black
Optional colour variant(s)	2	2	2	2
Main materials applied	alu, glass	alu, glass	alu, glass	alu, glass
Individualization options (selection)	alu colour onlays, smart cover	alu colour onlays, smart cover	alu colour onlays, smart cover	alu colour onlays, smart cover
Prestigious Awards	award pending	award pending	award pending	award pending
Sustainable / regional resources and methods preferred	● / ●	● / ●	● / ●	● / ●
Durable / service friendly / modular / repairable	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
Setup solutions: table / floor / wall / ceiling / motorized	● / o / o / o	● / o / o / o	● / o / o / o	● / o / o / o
Sound solutions: passive / active / stereo / multi channel	● / o / ● / o	● / o / ● / o	● / o / ● / o	● / o / ● / o
Image				
Screen resolution (pixels)	4K Ultra HD (3840 x 2160)	4K Ultra HD (3840 x 2160)	4K Ultra HD (3840 x 2160)	4K Ultra HD (3840 x 2160)
Display technology	OLED, LGD oc, LTY module	OLED, LGD oc, LTY module	OLED, LGD oc, LTY module	OLED, LGD oc, LTY module
Screen diagonal (cm / inch) / Response time (ms)	164 / 65 / 1	139 / 55 / 1	121 / 48 / 1	106 / 42 / 1
Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	1.500 / 120°	1.500 / 120°	800 / 120°	800 / 120°
Ex-works individual panel calibration / white D65 / colour RGB	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
UHD scaling / Auto dimming / AI PQ / Adaptive contrast / 24p	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
HDR (HLG / HDR10 / HDR10+ / Dolby Vision) / WCG	● / ● / ● / ● (incl. IQ PD) / ●	● / ● / ● / ● (incl. IQ PD) / ●	● / ● / ● / ● (incl. IQ PD) / ●	● / ● / ● / ● (incl. IQ PD) / ●
Receiption				
DVB-T2 / C / S2 / HD / twin triple-tuner	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
DVB radio / 5V / DiSEqC / Unicable / dual channel	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	● / ● / ● / ● (incl. H.266)	● / ● / ● / ● (incl. H.266)	● / ● / ● / ● (incl. H.266)	● / ● / ● / ● (incl. H.266)
Zattoo / HD+	● / ●	● / ●	● / ●	● / ●
Audio				
Power (watts sine / music) / driver (active + passive)	2 x 10 / 2 x 20 / 2	2 x 10 / 2 x 20 / 2	2 x 10 / 2 x 20 / 2	2 x 10 / 2 x 20 / 2
Acoustic speaker concept	speaker box + bass reflex	speaker box + bass reflex	speaker box + bass reflex	speaker box + bass reflex
Front firing / down firing / 2-channel crossover	— / ● (invisible sound) ●	— / ● (invisible sound) ●	— / ● (invisible sound) ●	— / ● (invisible sound) ●
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Class-D amp / Auto volume / AI AQ / EQ / Dynamic loudness	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Operation and apps				
Chassis / os / languages (menu, help) / app store	SL8 / os9 / 65 / ●	SL8 / os9 / 65 / ●	SL8 / os9 / 65 / ●	SL8 / os9 / 65 / ●
my Loewe app / smart apps (all: Android + iOS)	● /(VIDAA Smart TV app)	● /(VIDAA Smart TV app)	● /(VIDAA Smart TV app)	● /(VIDAA Smart TV app)
Voice control: Alexa Skills / other	● /(VIDAA Voice)	● /(VIDAA Voice)	● /(VIDAA Voice)	● /(VIDAA Voice)
EPG / Number of stations in channel list	● / 10.000	● / 10.000	● / 10.000	● / 10.000
Timeshift / USB recording / multi recording	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
Mediatext (HbbTV) / Teletext / splitscreen	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
Media player / dlna player / browser	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
FAST channels / VOD premium services / AI comfort features	TV Channel+ / ● / ●	TV Channel+ / ● / ●	TV Channel+ / ● / ●	TV Channel+ / ● / ●
Parental lock / Automatic turn-off / Timer	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
Software update (via USB / Internet) / Hotel mode	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
Connectivity and Interfaces				
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1 / 2 / 1	1 / 2 / 1	1 / 2 / 1	1 / 2 / 1
HDMI	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1
HDMI UHD / ALLM / VRR	● / ● / ● (144 Hz)	● / ● / ● (144 Hz)	● / ● / ● (144 Hz)	● / ● / ● (144 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
USB-A: number x power	1 x 1,0 A, 1 x 2,0 A	1 x 1,0 A, 1 x 2,0 A	1 x 1,0 A, 1 x 2,0 A	1 x 1,0 A, 1 x 2,0 A
USB-C: number x power	2 x 1,0 A	2 x 1,0 A	2 x 1,0 A	2 x 1,0 A
Bluetooth / Miracast / AirPlay / Matter	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
LAN / WLAN (Wi-Fi) / wake on LAN / wake on Wifi	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
TOSLINK / center in / stereo out / cube connector	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
Audio out control: fix / variable / sub (3,5 mm)	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
Loewe magic.light / magic.motion	— /o (via USB-A 2,0A)	— /o (via USB-A 2,0A)	— /o (via USB-A 2,0A)	— /o (via USB-A 2,0A)
Home automation / Control4 / Crestron / Basalte	● (via IP) / ● / ● / ●	● (via IP) / ● / ● / ●	● (via IP) / ● / ● / ●	● (via IP) / ● / ● / ●
Power connection	C17 / C18	C17 / C18	C17 / C18	C17 / C18
Energy				
EU energy efficiency class: SDR (EEI) / HDR (EEI)	F / G	F / G	F / G	G / G
EPREL registration No.: https://eprel.ec.europa.eu	2712700	2712697	2712695	2712688
Energy consumption SDR / HDR (ca. kWh/1000h)	101 / 113	tba	55 / 60	tba
Power consumption cast mode / home automation (watts)	15	15	15	15
Power consumption max. @ audio 1/8 volume (watts)	400 W	300 W	200 W	150 W
Power consumption standby / network standby (watts)	0,4 / 0,6	0,4 / 0,6	0,4 / 0,6	0,4 / 0,6
Mains voltages / power switch / off mode (watts)	220-240 V, 50/60 Hz / ● / 0,0	220-240 V, 50/60 Hz / ● / 0,0	220-240 V, 50/60 Hz / ● / 0,0	220-240 V, 50/60 Hz / ● / 0,0
Dimensions (* incl. signature flag: ca. 1 cm)				
Weight (ca. kg) excl. / incl. standard setup solution	tba	tba	tba	tba
W* x H x D (cm) without setup solution	145,2 x 87,0 x 5,4	123,3 x 74,7 x 5,4	107,8 x 66,0 x 5,4	94,3 x 58,4 x 5,4
W* x H x D (cm) incl. table stand	145,2 x 88,7 x 27,4	123,3 x 76,4 x 27,4	107,8 x 67,7 x 22,2	94,3 x 60,1 x 22,2
VESA support / Kensington lock	300 x 200 / —	300 x 200 / —	300 x 200 / —	300 x 200 / —
Scope of Delivery				
Speaker	integrated	integrated	integrated	integrated
Setup solution / rotating	integrated stand / ●	integrated stand / ●	integrated stand / ●	integrated stand / ●
Remote control (incle. batteries)	Loewe remote vi (2x AAA)	Loewe remote vi (2x AAA)	Loewe remote vi (2x AAA)	Loewe remote vi (2x AAA)
Manual / power cord	● / ● (2,5 m, black)	● / ● (2,5 m, black)	● / ● (2,5 m, black)	● / ● (2,5 m, black)
Others	welcome box	welcome box	welcome box	welcome box
Optional accessories				
Selection of recommended setup solutions and audio systems	floor2ceiling stand, floor stand	floor2ceiling stand, floor stand	floor2ceiling stand, floor stand	floor2ceiling stand, floor stand
	motor stellar, floor stand flex	motor stellar, floor stand flex	motor stellar, floor stand flex	motor stellar, floor stand flex
	floor stand universal, wall mount	floor stand universal, wall mount	floor stand universal, wall mount	floor stand universal, wall mount
	universal, wall mount slim 432	universal, wall mount slim 432	universal, wall mount slim 432	universal, wall mount slim 432
	wall mount stellar, multi.room	wall mount stellar, multi.room	wall mount stellar, multi.room	multi.room amp, soundbar
	amp, soundbar antares	amp, soundbar antares	amp, soundbar antares	antares

● = available, o = optional, — = not available, * according to panel spec typ. values @ HDR 10%

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

Technical Data

Loewe homecinema

soundbar antares

Audio (acoustic)	
Frequency range (ca. Hz) @ ±3 dB	L60-20.000
Orientation front / side / up / rear firing	● / — / — / —
Acoustic speaker concept	closed bar + passive membranes
Channel configuration	2.0 (stereo)
Driver total amount	14
Driver active	2x 25 mm, 4x 64 x 33 mm
Driver passive	8x 70 x 42 mm
2-channel crossover	● passive
Audio (electric)	
Frequency range (ca. Hz) @ ±1 dB	20-20.000
Integrated power amplifier	via antares
Power (ca. watts sine / music)	2 x 20 / 2 x 40
Bass and treble control / loudness / night mode	via antares
Dolby Audio / Digital / Digital Plus / Volume / Atmos / Atmos Music	via antares
DTS HD / DTS:X	via antares
Connectivity and interfaces	
Cube plug stereo	●
Wall mount	via antares
Energy and environment	
Ambient temperature while in operation	25-40° C
Relative humidity (non-condensing)	20-90%
Dimensions	
Weight (kg)	1,5
W* x H x D (cm)	92,2 x 10,8 x 4,4
Scope of delivery	
Remote control (incl. batteries)	via antares
Manual / power cord	● / —
Optional accessories	
Selection of recommended setup solutions and audio systems	antares
	floor2ceiling stand
	floor stand flex
	wall mount universal
	wall mount slim 432
	klang sub1
	smart cover

● = available, o = optional, — = not available, * according to panel spec typ. values @ HDR 10%

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.